

STT8 Semi-Automatic Water Softener

Domestic

WATERWAYS

Quality ways with water

13:1981

Product Description: Water softeners are typically used for removing calcium carbonate, manganese, iron and hardness from water sources and are regenerated by brine solutions. The treated water is soft and non scaling/staining. Commercial systems are available in single or twin (duplex) models and domestic units are available in cabinet style models.

Specifications

Туре	Semi-Automatic Water Softener	
Description	One piece roto moulded plastic cabinet with lid, containing salt and brine storage all in the unit	
Capacity	10,000 litres at 100 mg/l hardness	
Resin Capacity	18 litres of high grade softening resin	
Control Valve	Erie 3 stage with integrated twist timer Activated regeneration Brass mains connection fittings Adjustable brine draw	
Pressure Vessel	Thermowound fibreglass with blow moulded	
Flow Rate	Continuous Peak	20 litres per minute 25 litres per minute
Pressure	Maximum Minimum	600 kpa (85psi) 175 kpa (25psi)
Pipe Sizes	Inlet/outlet Drain	1/2" (15mm) 1/2" (15mm)
Salt Storage	50kg capacity	
Salt Usage	3kg per regeneration	
Dimensions	1100mm (h) x 470mm (w) x 340mm (d)	
Weight	32kg (dry)	

Note: Product specifications are a guide only and can change without notice.

Waterways Products (Aust) Pty Ltd

23 Aldershot Road, Lonsdale SA 5160 PO Box 443 Lonsdale DC SA 5160 Telephone 08 8186 0189 Facsimile 08 8382 7488 Email: enquiries@waterwaysproducts.com www.waterwaysproducts.com